

# Apache Web Server Konfiguration für Cognos Apis

Neben dem Setzen des ServerRoot, des Pots und des default.htm sind entsprechend folgende Links auf Cognos Gateways zu definieren:

## Konfiguration für Microsoft NT

```
ScriptAlias /cognos/cgi-bin "K:/Cognos/cer1/cgi-bin"
<Directory "K:/Cognos/cer1/cgi-bin">
Options Indexes FollowSymLinks
AllowOverride None
order allow,deny
allow from all
</Directory>
```

```
Alias /cognos "K:/Cognos/cer1/webcontent"
<Directory "K:/Cognos/cer1/webcontent">
Options Indexes FollowSymLinks
AllowOverride None
order allow,deny
allow from all
</Directory>
```

```
Alias /cognos/help "K:/Cognos/cer1/Documentation/Html"
<Directory "K:/Cognos/cer1/Documentation/Html">
Options Indexes FollowSymLinks
AllowOverride None
order allow,deny
allow from all
</Directory>
```

## Konfiguration für Unix

```
ScriptAlias /cognos/cgi-bin "/usr/cognos/cer1/cgi-bin"
<Directory "/usr/cognos/cer1/cgi-bin">
Options Indexes FollowSymLinks
AllowOverride None
order allow,deny
allow from all
</Directory>
```

```
Alias /cognos "/usr/cognos/cer1/webcontent"
<Directory "/usr/cognos/cer1/webcontent">
Options Indexes FollowSymLinks
AllowOverride None
order allow,deny
allow from all
</Directory>
```

```
Alias /cognos/help "/usr/cognos/cer1/documentation/html"
<Directory "/usr/cognos/cer1/documentation/html">
Options Indexes FollowSymLinks
AllowOverride None
order allow,deny
allow from all
</Directory>
```